

Printing date 03/01/2021

Reviewed on 03/01/2021

Page 1/10

Identificat	ion	
Product iden	ntifier	
Trade name	•	late
Details of th Manufactur Energy Chen No. 60, Golf TEHRAN 19 IRAN	<b>er/Supplier</b> nical Co. So am St, Afric	emnan
		nt: Product safety department. number: During normal opening times: +98 21 2205 2178
Hazard(s)	idontific	ation
11 <i>uzuru</i> (s)	ueniijitt	unon
Classificatio	n of the su	bstance or mixture
	11006 0111	and crossbones
	п500 <i>S</i> кин	una crossbones
Acute Tox. 3	H301	Toxic if swallowed.
		Toxic if swanowed.
G.	HS08 Heali	th hazard
Muta. 2	H341	Suspected of causing genetic defects.
Carc. 2	H351	Suspected of causing cancer.
Repr. 2	H361	Suspected of damaging fertility or the unborn child.
STOT RE 1	H372	Causes damage to organs through prolonged or repeated exposure.
G	HS07	
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2A		Causes serious eye irritation.
STOT SE 3		36 May cause respiratory irritation. May cause drowsiness or dizziness.
Label eleme GHS label e Hazard picto	nts lements Th	e product is classified and labeled according to the Globally Harmonized System (GHS
GHS06 C	GHS07 G	SHS08
Signal word	Danger	

Printing date 03/01/2021

Reviewed on 03/01/2021

## Trade name: E-Molybdate

(Contd. of page 1)
· Hazard-determining components of labeling:
Sodium molybdate
· Hazard statements
Toxic if swallowed.
Causes skin irritation.
Causes serious eye irritation.
Suspected of causing genetic defects.
Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.
May cause respiratory irritation. May cause drowsiness or dizziness.
Causes damage to organs through prolonged or repeated exposure.
· Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
Rinse mouth.
If on skin: Wash with plenty of water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Call a poison center/doctor if you feel unwell.
<i>Get medical advice/attention if you feel unwell.</i>
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 2
Fire $= 0$
2 $0$ Reactivity = 0
· HMIS-ratings (scale 0 - 4)
$\begin{array}{c c} \text{HEALTH} & 2 \\ \hline \end{array} & Health = 2 \\ \hline \end{array}$
FIRE 0 $Fire = 0$
<b>REACTIVITY</b> $0$ <b>Reactivity</b> = 0
Other hazanda
· Other hazards Provide of PPT and vPvP accessment
• Results of PBT and vPvB assessment
• <b>PBT</b> : Not applicable.
• <b>vPvB</b> : Not applicable.

(Contd. on page 3)

Printing date 03/01/2021

Reviewed on 03/01/2021

Trade name: E-Molybdate

(Contd. of page 2)

>90.0%

### **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

7631-95-0 Sodium molybdate

## 4 First-aid measures

#### · Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

#### · After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

· Environmental precautions:

- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- Reference to other sections
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  See Section 13 for disposal information.

(Contd. on page 4)

US

Printing date 03/01/2021

Reviewed on 03/01/2021

Trade name: E-Molybdate

· Protective Action Criteria for Chemicals	(Contd. of page 3)
· PAC-1:	
7631-95-0 Sodium molybdate	$3.2 mg/m^3$
· PAC-2:	
7631-95-0 Sodium molybdate	17 mg/m <sup>3</sup>
· PAC-3:	
7631-95-0 Sodium molybdate	100 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

• *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

At this time, the other constituents have no known exposure limits.

7631-95-0 Sodium molybdate	
PEL Long-term value: 5 mg/m <sup>3</sup>	
as Mo	
TLV Long-term value: 0.5 mg/m <sup>3</sup>	
as Mo; respirable fraction	
Additional information: The lists that were valid during the creation were used as basis.	
• Exposure controls	
· Personal protective equipment:	
· General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Store protective clothing separately.	
Avoid contact with the eyes and skin.	
	(Contd. on page 5)

Printing date 03/01/2021

Reviewed on 03/01/2021

#### Trade name: E-Molybdate

(Contd. of page 4)

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Solid Color: According to product specification · Odor: *Characteristic* · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable. · Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. (Contd. on page 6)

— Ú

Printing date 03/01/2021

Reviewed on 03/01/2021

Trade name: E-Molybdate

		(Contd. of page 3
· Vapor pressure:	Not determined.	
· Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with	i and the second s	
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	$0.0 \ g/l / 0.00 \ lb/gl$	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:

## · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

- Oral LD50 <111 mg/kg
- · Primary irritant effect:
- $\cdot$  on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- *The product shows the following dangers according to internally approved calculation methods for preparations: Toxic*

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

(Contd. on page 7)

US -

Printing date 03/01/2021

Reviewed on 03/01/2021

Trade name: E-Molybdate

(Contd. of page 6)

· NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

- Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN3287
	010207
UN proper shipping name DOT IMDG, IATA	Toxic liquid, inorganic, n.o.s. (Sodium molybdate) TOXIC LIQUID, INORGANIC, N.O.S. (Sodium molybdate)
Transport hazard class(es)	
DOT	
Toxic 8	
Class	6.1 Toxic substances

Printing date 03/01/2021

Reviewed on 03/01/2021

Trade name: E-Molybdate

	(Contd. of page
Label	6.1
· IMDG, IATA	
Class	6.1 Toxic substances
· Label	6.1
Packing group DOT, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances
Danger code (Kemler):	60
EMS Number:	F-A,S-A
Stowage Category	Α
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DQT	
Quantity limitations	On passenger aircraft/rail: 60 L
~ '	On cargo aircraft only: 220 L
- IMDG	
Limited quantities (LQ)	5L
$\cdot$ Excepted quantities ( $\widetilde{E}Q$ )	Code: E1
_ · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (SODIU)
-	MOLYBDATE), 6.1, III

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
	(Contd. on page 9)

(Contd. of page 8)

## Safety Data Sheet acc. to OSHA HCS

Printing date 03/01/2021

Reviewed on 03/01/2021

Trade name: E-Molybdate

 $\cdot$  Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Sodium molybdate · Hazard statements Toxic if swallowed. Causes skin irritation. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. May cause respiratory irritation. May cause drowsiness or dizziness. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell.

(Contd. on page 10)

Printing date 03/01/2021

Reviewed on 03/01/2021

#### Trade name: E-Molybdate

(Contd. of page 9)

Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department.

· Contact:

\*WWW.ENERGYSEMNAN.COM\*

· Date of preparation / last revision 03/01/2021 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Muta. 2: Germ cell mutagenicity – Category 2 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1