

Printing date 05/25/2021

Reviewed on 05/25/2021


Page 1/9

1 Identification · Product identifier • Trade name: PAN Indicator solution 0.1% · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Energy Chemical Co. Semnan No. 60, Golfam St, Africa Ave. TEHRAN 1915673641 IRAN · Information department: Product safety department. • Emergency telephone number: During normal opening times: +98 21 2205 2178 2 Hazard(s) identification · Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS06 GHS08 · Signal word Danger · Hazard-determining components of labeling: methanol · Hazard statements *Toxic if inhaled.* Causes damage to organs. · Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Specific treatment (see on this label). (Contd. on page 2)

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: PAN Indicator solution 0.1%



• Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

US

Reviewed on 05/25/2021

Trade name: PAN Indicator solution 0.1%

· Advice for firefighters

Printing date 05/25/2021

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- $\cdot \textit{Environmental precautions: Dilute with plenty of water.}$
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- *Ensure adequate ventilation.* • *Reference to other sections*
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

6	
· PAC-1:	
67-56-1 methanol	530 ppm
· PAC-2:	
67-56-1 methanol	2,100 ppm
· PAC-3:	
67-56-1 methanol	7200* ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 4)

(Contd. of page 2)

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: PAN Indicator solution 0.1%

At th	his time, the other constituents have no k	(Contd. of page 3)	
	56-1 methanol		
	Long-term value: 260 mg/m ³ , 200 ppm		
	Short-term value: 325 mg/m ³ , 250 ppm		
KLL	Long-term value: 260 mg/m ³ , 200 ppm		
	Skin		
TLV	Short-term value: 328 mg/m ³ , 250 ppm		
12,	Long-term value: 262 mg/m ³ , 200 ppm		
	Skin; BEI		
0	redients with biological limit values:		
	56-1 methanol		
	15 mg/L		
	Medium: urine		
	Time: end of shift	• /*)	
	Parameter: Methanol (background, nor		
· Addi	itional information: The lists that were	valid during the creation were used as basis.	
· Expo	osure controls		
	sonal protective equipment:		
	eral protective and hygienic measures:		
	p away from foodstuffs, beverages and fe		
	nediately remove all soiled and contamin		
	ch hands before breaks and at the end of	work.	
	e protective clothing separately. athing equipment:		
		e respiratory filter device. In case of intensive or longer exposure use	
	piratory protective device that is independent		
	tection of hands:		
		nd resistant to the product/ the substance/ the preparation.	
		the glove material can be given for the product/ the preparation/ the	
	nical mixture.		
		ion of the penetration times, rates of diffusion and the degradation	
	erial of gloves		
		only depend on the material, but also on further marks of quality and	
		is the product is a preparation of several substances, the resistance of dvance and has therefore to be checked prior to the application.	
	etration time of glove material	avance and has inerejore to be checked prior to the application.	
		und out by the manufacturer of the protective gloves and has to be	
	observed.		
	protection: Goggles recommended durin	ng refilling.	
0.77			
9 Phy	vsical and chemical properties		
· Infor	ormation on basic physical and chemica	l properties	
	· General Information		
· Appe	· Appearance:		
-	orm: Liqu		
		ording to product specification	
	• Odor: Characteristic		
· Odor	r threshold: Not	determined.	

(Contd. on page 5)

US

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: PAN Indicator solution 0.1%

		(Contd. of page
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	>80.0 %	
VOC content:	>80.00 %	
	>800.0 g/l / >6.68 lb/gl	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: PAN Indicator solution 0.1%

(Contd. of page 5)

11 Toxicological information				
	• Information on toxicological effects • Acute toxicity:			
· LD/LC50	· LD/LC50 values that are relevant for classification:			
ATE (Acı	ATE (Acute Toxicity Estimate)			
Inhalative	e LC50/4 h	<3.75 mg/l		
67-56-1 n	67-56-1 methanol			
Oral	LD50	5,628 mg/kg (rat)		
Dermal	LD50	15,800 mg/kg (rabbit)		
 Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Toxic 				
· Carcinog	· Carcinogenic categories			
· IARC (International Agency for Research on Cancer)				
None of the	None of the ingredients is listed.			
· NTP (Nat	· NTP (National Toxicology Program)			
None of th	None of the ingredients is listed.			

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

[·] Toxicity

US

Reviewed on 05/25/2021

Trade name: PAN Indicator solution 0.1%

(Contd. of page 6)

· Uncleaned packagings:

Printing date 05/25/2021

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN2810
UN proper shipping name DOT IMDG, IATA	Toxic, liquids, organic, n.o.s. (Methanol) TOXIC LIQUID, ORGANIC, N.O.S. (METHANOL)
Transport hazard class(es)	
DOT	
Class Label	6.1 Toxic substances 6.1
IMDG, IATA	
Class Label	6.1 Toxic substances 6.1
	0.1
Packing group DOT, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances
Danger code (Kemler):	60
EMS Number:	F-A,S-A
Stowage Category Stowage Code	A SW2 Clear of living quarters.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
IMDG Limited quantities (LQ)	5L

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: PAN Indicator solution 0.1%

	(Contd. of page 7)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2810 TOXIC, LIQUIDS, ORGANIC, N.O.S. (METHANOL), 6.1, III

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- All ingredients are listed.
- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- · Proposition 65
- Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:
- All ingredients are listed.

· Carcinogenic categories

- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- TLV (Threshold Limit Value established by ACGIH)
- None of the ingredients is listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



- · Signal word Danger
- Hazard-determining components of labeling: methanol
- · Hazard statements
- Toxic if inhaled.

U

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: PAN Indicator solution 0.1%

Causes damage to organs.

(Contd. of page 8)

Precautionary statements
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Specific treatment (see on this label).
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Tox. 3: Acute toxicity – Category 3

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department.
- · Contact:
- -

WWW.ENERGYSEMNAN.COM · Date of preparation / last revision 05/25/2021 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1