

Printing date 10/02/2024 Reviewed on 10/02/2024

1 Identification

- · Product identifier
- · Trade name: Sulfuric acid standard solution 5.25 N
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Energy Chemical Co. Semnan No. 60, Golfam St, Africa Ave. TEHRAN 1915673641 IRAN
- · Information department: Product safety department.
- · Emergency telephone number: During normal opening times: +98 21 2205 2178

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

sulphuric acid

· Hazard statements

Causes severe skin burns and eye damage.

May cause cancer.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)





Printing date 10/02/2024 Reviewed on 10/02/2024

Trade name: Sulfuric acid standard solution 5.25 N

(Contd. of page 1)

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 *3 Health = *3

Fire = 0

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- Dangerous components:

7664-93-9 sulphuric acid

20-30%

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)





Printing date 10/02/2024 Reviewed on 10/02/2024

Trade name: Sulfuric acid standard solution 5.25 N

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| • PAC-1: | | | | |
|--------------------------|-----------------------|--|--|--|
| 7664-93-9 sulphuric acid | 0.20 mg/m^3 | | | |
| · PAC-2: | | | | |
| 7664-93-9 sulphuric acid | 8.7 mg/m^3 | | | |
| · PAC-3: | | | | |
| 7664-93-9 sulphuric acid | 160 mg/m^3 | | | |

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)





Printing date 10/02/2024 Reviewed on 10/02/2024

Trade name: Sulfuric acid standard solution 5.25 N

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

7664-93-9 sulphuric acid

PEL Long-term value: 1 mg/m³

REL Long-term value: 1 mg/m³

TLV Long-term value: 0.2* mg/m³

*as thoracic fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)





Printing date 10/02/2024 Reviewed on 10/02/2024

Trade name: Sulfuric acid standard solution 5.25 N

(Contd. of page 4)

· Eye protection:




Tightly sealed goggles

| Information on basic physical and c | | | | |
|---------------------------------------|---|---|--|--|
| | hemical properties | | | |
| General Information | | | | |
| Appearance: | | | | |
| Form: | Liquid | | | |
| Color: | Colorless | | | |
| Odor: Odor threshold: | Odorless Not determined. | | | |
| | | _ | | |
| pH-value at 20 °C (68 °F): | <2 | | | |
| Change in condition | | | | |
| Melting point/Melting range: | Undetermined. | | | |
| Boiling point/Boiling range: | 100 °C (212 °F) | | | |
| Flash point: | Not applicable. | | | |
| Flammability (solid, gaseous): | Not applicable. | | | |
| Decomposition temperature: | Not determined. | | | |
| Auto igniting: | Product is not selfigniting. | | | |
| Danger of explosion: | Product does not present an explosion hazard. | | | |
| Explosion limits: | | | | |
| Lower: | Not determined. | | | |
| Upper: | Not determined. | | | |
| Vapor pressure at 20 °C (68 °F): | Not determined. | | | |
| Density at 20 °C (68 °F): | 1.1–1.2 g/cm³ (9.1795–10.014 lbs/gal) | | | |
| Relative density | Not determined. | | | |
| Vapor density | Not determined. | | | |
| Evaporation rate | Not determined. | | | |
| Solubility in / Miscibility with | | | | |
| Water: | Fully miscible. | | | |
| Partition coefficient (n-octanol/wate | r): Not determined. | | | |
| Viscosity: | | | | |
| Dynamic: | Not determined. | | | |

(Contd. on page 6)





Printing date 10/02/2024 Reviewed on 10/02/2024

Trade name: Sulfuric acid standard solution 5.25 N

(Contd. of page 5)

· Solvent content:

Water: >50.0 % *VOC content*: 0.00 %

 $0.0 \, g/l \, / \, 0.00 \, lb/gl$

Solids content: 20–<30 %

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eve:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

| · IARC (Intern | ational Ag | ency for | Research or | n Cancer) |
|----------------|------------|----------|-------------|-----------|
| | | | | |

7664-93-9 sulphuric acid

1

· NTP (National Toxicology Program)

7664-93-9 sulphuric acid

K

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

US





Printing date 10/02/2024 Reviewed on 10/02/2024

Trade name: Sulfuric acid standard solution 5.25 N

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

• **DOT, IMDG, IATA** UN2796

· UN proper shipping name

· **DOT** Sulfuric acid

· IMDG, IATA SULPHURIC ACID

(Contd. on page 8)






Printing date 10/02/2024 Reviewed on 10/02/2024

Trade name: Sulfuric acid standard solution 5.25 N

(Contd. of page 7) · Transport hazard class(es) $\cdot DOT$ · Class 8 Corrosive substances · Label · IMDG, IATA 8 Corrosive substances · Class · Label 8 · Packing group · DOT, IMDG, IATA II· Environmental hazards: Not applicable. · Special precautions for user Warning: Corrosive substances · Danger code (Kemler): 80 · EMS Number: F-A,S-B· Segregation groups AcidsВ · Stowage Category · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: $\cdot DOT$ · Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L \cdot *IMDG* · Limited quantities (LQ) 1LExcepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 2796 SULFURIC ACID, 8, II

US -





Printing date 10/02/2024 Reviewed on 10/02/2024

Trade name: Sulfuric acid standard solution 5.25 N

(Contd. of page 8)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

7664-93-9 sulphuric acid

· Section 313 (Specific toxic chemical listings):

7664-93-9 sulphuric acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

7664-93-9 sulphuric acid

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

sulphuric acid

· Hazard statements

Causes severe skin burns and eye damage.

May cause cancer.

(Contd. on page 10)





Printing date 10/02/2024 Reviewed on 10/02/2024

Trade name: Sulfuric acid standard solution 5.25 N

(Contd. of page 9)

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department.
- · Contact:

WWW.ENERGYSEMNAN.COM

- · Date of preparation / last revision 10/02/2024 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 11)

----- F--8- -



Page 11/11

Safety Data Sheet acc. to OSHA HCS

Printing date 10/02/2024 Reviewed on 10/02/2024

Trade name: Sulfuric acid standard solution 5.25 N

(Contd. of page 10)

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

OSHA: Occupational Safety & Healt. TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Carc. 1A: Carcinogenicity - Category 1A

US ·